



ANHUI WELCOME FOREIGN TRADE Co.,LTD

# Laboratory Catalog



The background of the entire page is a blurred photograph of laboratory glassware, including several Erlenmeyer flasks and test tubes, some containing liquids of different colors like red and yellow. The glassware is arranged in a way that creates a sense of depth and scientific precision.

Anhui Welcome Foreign Trade Co., Ltd. Is registered in 1990 for the export of superior quality hospital equipment, laboratory glassware, teaching models and many other scientific supplies related to the medical / health field. With over 30 years of export experiences and more than 50,000 medical supplies, we are the leader of medical / laboratory instrument supplier in China. We have our own factory and gained many long-term cooperative business partners as well as customers from Vietnam, United States, Singapore, Jordan, Malaysia, and Africa.

### **Our Mission**

- To offer our customers with the premium selection of medical supplies with low price
- To help our customers with passion and provide a comprehensive support
- To gain your trust and be your long-term relationship partner

### **Our Vision**

- To have our product in every corner in the global
- To be the best medical/laboratory/educational products supplier in China
- To bring our customers the health living standards by providing superior quality and comprehensive products globally

# Contents

|          |                        |    |
|----------|------------------------|----|
| <b>1</b> | Laboratory Equipment   | 5  |
| <b>2</b> | Laboratory Consumables | 27 |
| <b>3</b> | Laboratory Glassware   | 37 |
| <b>4</b> | Laboratory Furniture   | 47 |
| <b>5</b> | Educational Products   | 51 |

# Laboratory Equipment






Microscope



LBO100 Microscope



LBO101 Video/Digital Microscope



LBO102 Trinocular Head for Photography Microscope



LBO103 Polarizing Microscope



LBO104 Slit Lamp Microscope



LBO105 Operation Microscope



LBO106 Stereo Microscope Model



LBO107 Inverted Metallurgical Microscope



LBO108 Plain Achromatic Objectives



LBO109 Fluorescent Microscope



LBO110 Inverted Fluorescent Microscope



LBO111 Fluorescent Microscope

Microscope



LBO112 Multi-viewing Microscope



LBO113 Multi-viewing Microscope



LBO114 Teaching Microscope



LBO115 Teaching Microscope



LBO116 Slit Lamp Microscope



LBO117 Operation Microscope



LBO118 Inverted Biological Microscope



LBO119 Biological Microscope



LBO120 Biological Microscope



LBO121 Biological Microscope



LBO122 Biological Microscope





LBD124 Oscillator(Minim-Oscillator)



LBD125 Oscillator(Powder Mixer)



LBD126 Oscillator



LBD127 Oscillator(Horizontal Rotor)



LBD128 Digital Shaking Rotator



LBD129 Multifunction Shaker



LBD130 Digital Orbital Shaker



LBD131 Digital Shaking Rotator



LBD132 Digital Rocking Mixer



LBD133 Microplate Shaker



LBD134 Orbital Shaker



LBD135 Digital 3D Rotation Mixer



LBD136 Roller Mixer



LBD137 Roller Mixer



LBD138 Multifunction Mixer



LBD139 Rotation Mixer



LBD140 Rotator Mixer



LBD141 Roller Mixer



LBD142 Vortex Mixer



LBD143 Vortex Mixer



LBD144 Vortex Mixer



LBD145 Hemocytometer



LBD146 LCD Digital Timing Clock



LBD147 Hemoglobinometer





**LB0148**

**Portable pH Meter**

**Features**

- 1. To support TFT touch screed with colour and navigation bar;
- 2. To support identification standard buffer;
- 3. To support storing 2000 or 1000 measurement value with view function;
- 4. To meet GLP norm;
- 5. To support ID management;
- 6. To support USB and Firmware Upgrade function
- 7. Long Standby Time

| Model       | PHBJ-260F                                       |
|-------------|-------------------------------------------------|
| Parameters  | pH /mV(ORP)/°C                                  |
| Range       | pH:-2.00~20.00<br>mV: ±2000<br>Temp: -5.0~105°C |
| Accuracy    | pH: ±0.01<br>mV:±0.1% or ±0.5mV<br>Temp:±0.2°C  |
| Calibration | Up to five point                                |
| Power       | Li-on (DC 3.8V)                                 |



**LB0149 Portable PH Meter**

- 1. To support TFT touch screed with colour and navigation bar;
- 2. To support identification standard buffer;
- 3. To support storing 2000 or 1000 measurement value with view function;
- 4. To meet GLP norm;
- 5. To support ID management;
- 6. To support USB and Firmware Upgrade function
- 7. Long Standby Time



**LB0150 Portable PH Meter**

- 1.LCD widescreen display,
- 2. Automatic calibration, power protection, manual and automatic temperature compensation
- 3.Undervoltage signal display, automatic shutdown
- 4.Five types of pH buffer solution
- 5.Measure pH value of ultrapure water, pure water and boiling water
- 6.Test results can be stored, deleted, viewed and printed.



**LB0151 Portable PH Meter**

- 1.LCD backlight display
- 2.Simultaneous display of pH value, temperature or mV(ORP)
- 3.It has manual temperature compensation function and supports two-point calibration.
- 4.Novel appearance, portable and easy operation
- 5.It is equipped with E-201-C pH combined electrode.



**LB0152 PH Meter**



**LB0153 PH Meter**



**LB0154 PH Meter**



**LB0155 PH Meter**



**LB0156 PH Meter**



**LB0157 PH Meter**



**LB0158 Digital Melting-point Apparatus**



**LB0159 DHS Series Moisture Analyzer**



**LB0160 ABBE Refractometer**



**LB0161 Glossmeter**



**LB0162 Automatic Polarimeter**



**LB0163 Disc Polarimeter**





LB0164 G Series Spectrophotometer 721G/721G-100/722G/752G



LB0165 N Series Spectrophotometer 721N/722N/752N



LB0166 Double Beam Scanning UV/VIS Spectrophotometer



LB0167 Flame Spectrophotometer



LB0168 Ultraviolet Visible Spectrophotometer



LB0169 Visible Spectrophotometer Series



LB0170 G Series Spectrophotometer




LB0171 Atomic Absorption Spectrophotometer



LB0172 Atomic Absorption Spectrophotometer



LB0173 Gas Chromatograph GC Series



LB0174 Oxygen Bomb Calorimeter Digital Display



LB0175 Flame Photometer



LB0176 Flame Photometer



LB0177 High Performance Liquid Chromatograph



LB0178 Gas Chromatograph



LB0179 Gas Chromatograph



LB0180 Gas Chromatograph



LB0181 Rotary Microtome



LB0182 Rotary Microtome



LB0183 Semi Automatic Microtome



LB0184 Automatic Double Basket Tissue Processor



LB0185 Vibrator with Sieve



LB0186 Oxygen Bomb Calorimeter (Digital Displays)





LB0187 Low Speed Refrigerated Centrifuge

LB0188 Hematocrit Centrifuge



LB0189 Floor-standing High Speed Refrigerated Centrifuge

LB0190 Floor-standing High Speed Refrigerated Centrifuge

LB0191 Ultra-Capacity Refrigerated Centrifuge



LB0192 High Speed Centrifuge

LB0193

LB0194

LB0196 Mini Centrifuge

LB0195



LB0197 Low Speed Centrifuge 6 Tubes



LB0198 High Speed Refrigerated Centrifuge

**LB0199 Vertical Pressure Steam Sterilizer (Hand Round Automatic) 35L/50L/75L/100L**

- 1. Fully stainless steel SUS304/AISI 304-3mm
- 2. Hand wheel type of quick-open door structure
- 3. Pressure safety lock
- 4. Indicator light indicates working status
- 5. Over temperature & over pressure auto-protection
- 6. Double scale indication pressure gauge
- 7. Self-inflating type seal
- 8. Self protection of water lacking
- 9. Automatically shut off with beep reminding after sterilization
- 10. With two stainless steel sterilizing baskets

|                           |                     |                   |                     |                |
|---------------------------|---------------------|-------------------|---------------------|----------------|
| Model                     | LB0199-35HJ         | LB0199-50HJ       | LB0199-75HJ         | LB0199-100HJ   |
| Chamber Volume            | 35L 318*450mm       | 50L 340*550mm     | 75L 400*600mm       | 100L 440*650mm |
| Working Pressure          | 0.22Mpa             |                   |                     |                |
| Working Temperature       | 134°C               |                   |                     |                |
| Max. Working Pressure     | 0.23Mpa             |                   |                     |                |
| Heat Average              | ±1°C                |                   |                     |                |
| Timer                     | 0-60min             |                   |                     |                |
| Adjustment of Temperature | 105-134°C           |                   |                     |                |
| Power                     | 2.5Kw/AC 220V, 50HZ | 3Kw/AC 220V, 50HZ | 4.5Kw/AC 220V, 50HZ |                |
| Overall Dimension         | 450*450*1010        | 510*470*1130      | 560*560*1120        | 540*560*1250   |
| Transport Dimension       | 570*550*1150        | 590*590*1280      | 650*630*1280        | 680*630*1370   |
| G.W/ N.W                  | 72KG/56KG           | 88KG/68KG         | 100KG/80KG          | 110KG/85KG     |



**LB01100 Vertical Pressure Steam Sterilizer (Digital Display Automation) 35L/50L/75L/100L**

- 1. Fully stainless steel structure
- 2. Hand wheel type of quick-open door structure
- 3. Door safety lock system
- 4. Digital display of working status, touch type key.
- 5. Auto discharge the cool air, and steam discharging automatically after sterilization.
- 6. Over temperature & over pressure auto-protection
- 7. Safe protection of water lacking
- 8. Self-inflating type seal
- 9. Automatically shut off with beep reminding after sterilization
- 10. With two stainless steel sterilizing baskets
- 11. Possible to install drying system according request.



**LB01101 Vertical Pressure Steam Sterilizer (Digital Display Automation) 35L/50L/75L/100L**

- 1. Fully stainless steel SUS304/AISI 304-3mm
- 2. Door safety lock system
- 3. Digital display of working status
- 4. Auto discharge the cool air, and steam discharging automatically after sterilization
- 5. Over temperature & over pressure auto-protection
- 6. Safe protection of water lacking
- 7. Self-inflating type seal
- 8. Automatically shut off with beep reminding after sterilization
- 9. Used for sterilization of medical instruments, medical cotton products.





**LB01102 Vertical Pressure Steam Sterilizer(Pulse Vacuum Automatic) 50L/75L/100L**

- 1. The chamber of the sterilizer is made of stainless steel
- 2. Indicator light indicates working state
- 3. Over temperature & over pressure auto-protection
- 4. Safe protection of water lacking
- 5. Double scale indication pressure gauge
- 6. Automatically shut off with beep reminding after sterilization
- 7. Easy to operate, safe and reliable
- 8. With two stainless steel sterilizing baskets



**LB01103 Vertical Pressure Steam Sterilizer 28L**

- 1. The chamber of the sterilizer is made of stainless steel
- 2. Indicator light indicates working state
- 3. Over temperature & over pressure auto-protection
- 4. Safe protection of water lacking
- 5. Double scale indication pressure gauge
- 6. Automatically shut off with beep reminding after sterilization
- 7. Easy to operate, safe and reliable
- 8. With two stainless steel sterilizing baskets



**LB01104 Table Top Steam Sterilizer 20L/24L**

- 1.Indicator light indicates working state.
- 2.For 4~6 minutes rapidly sterilizing.
- 3.Sterilizing temperature and time can be preset.
- 4.Steam-water inner circulation system:no steam discharge,and the environment for sterilizing will be clean and dry.
- 5.Over temperature & over pressure auto-protection.
- 6.Safe protection of water lacking.
- 7.Exhaust the cool air automatically.
- 8.With three stainless steel sterilizing plates.
- 9.Fully stainless steel structure
- 10.Automatically shut off with beep reminding after sterilization.



**LB01105 Table Top Steam Sterilizer 20L/24L**

- 1.Indicator light indicates working state
- 2.For 4~6 minutes rapidly sterilizing
- 3.Sterilizing temperature and time can be preset
- 4.With inner cycle system of water and steam,no need of outer water source,have a dry clean environment
- 5.Over temperature&over pressure auto-protection
- 6.Safe protection of water lacking
- 7.Exhaust the cool air automatically
- 8.Door safety lock system
- 9.With three stainless steel sterilizing plates
- 10.The chamber of the sterilizer is made of stainless steel
- 11.Automatically shut off with beep reminding after sterization



**LB01106 Horizontal Cylindrical Pressure Steam Sterilizer 150L/200L/280L/400L/500L**

- 1. Sterilizing course automatic sterilization controlled,easy to operate.
- 2. With drying function,suitable dressing drying.
- 3. With over-temperature,over-pressure auto-protect device.
- 4. The door opening mechanism cannot be operated until the pressure in the chamber is reduced to 0.027MPa.It can't be start on if the door doesn't close well.
- 5.The safety value will be open automatically when the inner pressure over 0.24MPa,and the steam be exhausting to the water tank.
- 6. The power will be cut-off automatically,cut-off the water and alarm when the machine lacking water.
- 7. The chamber of the sterilizer is made of stainless steel.



**LB01107 Horizontal Cylindrical Pressure Steam Sterilizer 150L/200L/280L/400L**

- 1. Sterilizing course automatic sterilization controlled,easy to operate.
- 2. With drying function,suitable dressing drying.
- 3. With over-temperature,over-pressure auto-protect device.
- 4. The door opening mechanism cannot be operated until the pressure in the chamber is reduced to 0.027MPa.It can't be start on if the door doesn't close well.
- 5.The safety value will be open automatically when the inner pressure over 0.24MPa,and the steam be exhausting to the water tank.
- 6. The power will be cut-off automatically,cut-off the water and alarm when the machine lacking water.
- 7. Fully stainless steel structure.



**LB01108 Water Distiling Apparatus Tower Type Electrically Heated 5L/10L/20L**

The pure distilled water is one of the most useful liquids in the hospitals, healthcare centers, research institutes and analytic laboratories This still is specially designed for these places to prepare the pure distilled water will be produced through this apparatus as the quality of the raw water supping into the still meets with the specifications of the drinking water of the city.

| Model   | LB01108 -5L/h | LB01108 -10L/h | LB01108 -20L/h  |
|---------|---------------|----------------|-----------------|
| Output  | 5 liters/hour | 10 liters/hour | 20 liters/hour  |
| Power   | AC220V/ 4.5KW | AC380V/7.5KW   | AC380V/ 13.5 KW |
| Package | 540×270×490mm | 610×310×570mm  | 740×400×680mm   |
| Weight  | 9 kg          | 11 kg          | 17 kg           |





LB01109 Portable Pressure Steam Sterilizer(Automatic Microcomputer Type) 18L/24L



LB01110 Portable Pressure Steam Sterilizer 18L/24L



LB01111 Portable Pressure Steam Sterilizer(Electric or LPG Heated) 12L/18L/24L



LB01112 Portable Pressure Steam Sterilizer 18L/24L



LB01113 Portable Pressure Steam Sterilizer(Electric or LPG Heated) 18L/24L



LB01114 Portable Pressure Steam Sterilizer(Electric or LPG Heated) 12L



LB01115 Table Top Steam Sterilizer 16L/24L



LB01116 Table Top Steam Sterilizer 20L/24L



LB01117 Table Top Steam Sterilizer 35L/50L



LB01118 Pulsating Vacuum Desktop Steam Sterilizer 20L/24L



LB01119 Pulsating Vacuum Desktop Steam Sterilizer 35L/50L



LB01120 Horizontal Cylindrical Pressure Steam Sterilizer 150L/200L/280L/400L/500L



LB01121 Horizontal Cylindrical Pressure Steam Sterilizer(Microcomputer Control) 150L/200L/280L



LB01122 Water Distilling Apparatus Tower Type Electrically Heated 5L/h, 10L/h, 20L/h



LB01123 Ultraviolet Lamp Trolley



LB01124 Wall Mounted Water Distillation Electric



LB01125 Electric-heating Distilling Apparatus S/S



LB01126 Auto-control Horizontal Steam Pressure Disinfectant



LB01127 Stainless Steel Autoclave



LB01128 Stainless Steel Autoclave



LB01129 Muffles Furnace



LB01130 Electric Heated Sterilizer





LBD1131 Digital Water Bath Boiler



LBD1132 Lab Table Oven 25L



LBD1133 Lab Table Oven 50L



LBD1134 Lab Vertical Oven 30L



LBD1135 Seed Sprouting Incubator



LBD1136 Shaker Incubator



LBD1137 On-table Type Horizontal Flow Worktable



LBD1138 On-table Type Horizontal Flow Worktable



LBD1139 Single Level Purifying Work Platform



LBD1140 Biological Safety Cabinet



LBD1141 Fume Caboard S.S



LBD1142 Fume Caboard S.S



LBD1143 Model CHP Series CO2 Cultivation Cabinet



LBD1144 Lab Incubator Cabinet



LBD1145 Lab Oven All Size




LBD1146 Single Channel Oscilloscope



LBD1147 Dual-Channel Oscilloscope



LBD1148 Digital Oscilloscope



LBD1149 Handheld Digital Oscilloscope



LBD1150 Audio Signal Generator



LBD1151 Audio Signal Generator



LBD1152 Function Generator/Counter



LBD1153 Function Generator



LBD1154 Function Generator






LBD1155 Digital Water Boiler



LBD1156 Digital Water Boiler



LBD1157 Digital Water Boiler (one line)




LBD1158 Stainless Steel Electric Heating Board




LBD1159 Digital Three-use Constant Temperature Tank



LBD1160 Water-bathing Constant Temperature Vibrator




LBD1161 Trace Vibrator




LBD1162 Kangsi Vibrator




LBD1163 Speed Adjusting Multi-purpose Vibrator



LBD1164 Speed Adjusting Multi-purpose Vibrator



LBD1165 Speed Adjusting Multi-purpose Vibrator



LBD1166 Quartz Automatic, Double, Pure Water Distiller



LBD1167 Magnetism Heating Mixer 78-1/79-1 (Hot Plate)



LBD1168 Time, Double, Constant Temperature Magnetism Mixer(Hot Plate)



LBD1169 Numerical Show Constant Temperature Magnetism Mixer



LBD1170 Digital Constant Temperature Oil-bathing



LBD1171 Heating Mantle All Size



LBD1172 Digital Colony Counter



LBD1173 Analogue Electrophoresis Machine with Tank



LBD1174 Basic Digital Electrophoresis Machine



LBD1175 0.00001-210g Electronic Balance Machine









LBD1176 Digital Viscometers



LBD1177 Constant Flow Pump Series





LBD1156 Water-distilling Apparatus



LBD1157 Water-distilling Apparatus



LBD1158 Water-distilling Apparatus



LBD1159 Rotary Evaporator



LBD1160 Rotary Evaporator (2L)



LBD1161 Rotary Evaporator (2L)



LBD1162 Rotary Evaporator (2L)



LBD1163 Series Digital Viscometer



LBD1164 Water Aspirator Pump



LBD1165 Multi-purpose Test Support



LBD1166 Physical Test Support




LBD1167 Multi-purpose Physical Test Support



# Laboratory Consumables

## Swab




L80201 Collection Swab

| Item No. | Material (Stick+Tip)                                                  | Size       | Tip Diameter | Sterilization   | Packing Method  | Qty/PK    | Qty/Cs    |
|----------|-----------------------------------------------------------------------|------------|--------------|-----------------|-----------------|-----------|-----------|
| KJ502-16 | Wood / PS / PP / Stainless steel<br>+<br>Cotton / Polyester / Viscose | Ø2.5×150mm | ≈Ø5mm        | EO or Radiation | Individual pack | 500       | 5000      |
|          |                                                                       |            |              |                 | Bulk pack       | Customize | Customize |




L80202 Flocked Swab

| Item No. | Material (Stick+Tip) | Size       | Tip Diameter | Sterilization | Packing Method  | Qty/PK | Qty/Cs |
|----------|----------------------|------------|--------------|---------------|-----------------|--------|--------|
| KJ502-17 | PS+Nylon Flocked     | Ø2.5×150mm | Ø2×25mm      | Radiation     | Individual pack | 500    | 5000   |
| KJ502-12 | PS+Nylon Flocked     | Ø2.5×150mm | Ø2.5×18mm    | Radiation     | Individual pack | 500    | 5000   |
| KJ502-14 | PS+Nylon Flocked     | Ø2.5×150mm | Ø5×18mm      | Radiation     | Individual pack | 500    | 5000   |




L80203 Swab with PP Tube

| Item No. | Material (Stick+Tip)        | Size      | Stick Length | Sterilization   | Packing Method                     | Qty/PK | Qty/Cs |
|----------|-----------------------------|-----------|--------------|-----------------|------------------------------------|--------|--------|
| KJ502    | PP / PS + Viscose           | Ø13×180mm | 150mm        | EO or Radiation | Individual pack<br>or<br>Bulk pack | 100    | 2400   |
| KJ502-2  | PP / PS + Polyester         |           |              |                 |                                    |        |        |
| KJ502-3  | Wood + Cotton / Viscose     |           |              |                 |                                    |        |        |
| KJ502-4  | Stainless Steel + Polyester |           |              |                 |                                    |        |        |
| KJ502-5  | PP / PS + Cotton            |           |              |                 |                                    |        |        |



L80204 Swab with PS Tube

|       | Material (Stick+Tip)                                 | Size     | Stick Diameter | Sterilization   | Packing Method  | Qty/PK | Qty/Cs |
|-------|------------------------------------------------------|----------|----------------|-----------------|-----------------|--------|--------|
| KJ501 | Stainless steel<br>+<br>Cotton / Polyester / Viscose | Ø12×88mm | Ø 0.9mm        | EO or Radiation | Individual Pack | 100    | 2000   |



L80205 Stuart Agar Gel Swab

| Item No. | Material (Stick+Tip)                         | Medium          | Tube Size | Swab Length | Sterilization | Packing Method  | Qty/Cs |
|----------|----------------------------------------------|-----------------|-----------|-------------|---------------|-----------------|--------|
| KJ502-8  | PS / PP<br>+<br>Cotton / Polyester / Viscose | Stuart          | Ø13×150mm | 150mm       | Radiation     | Individual pack | 800    |
| KJ502-9  |                                              | Stuart Charcoal |           |             |               |                 |        |



L80206 Amies Agar Gel Swab

| Item No. | Material (Stick+Tip)                         | Medium         | Tube Size | Swab Length | Sterilization | Packing Method  | Qty/Cs |
|----------|----------------------------------------------|----------------|-----------|-------------|---------------|-----------------|--------|
| KJ502-7  | PS / PP<br>+<br>Cotton / Polyester / Viscose | Amies          | Ø13×150mm | 150mm       | Radiation     | Individual pack | 800    |
| KJ502-6  |                                              | Amies Charcoal |           |             |               |                 |        |



L80207 Cary-Blair Agar Gel Swab

| Item No. | Material (Stick+Tip)                         | Medium              | Tube Size | Swab Length | Sterilization | Packing Method  | Qty/Cs |
|----------|----------------------------------------------|---------------------|-----------|-------------|---------------|-----------------|--------|
| KJ502-10 | PS / PP<br>+<br>Cotton / Polyester / Viscose | Cary-Blair          | Ø13×150mm | 150mm       | Radiation     | Individual pack | 800    |
| KJ502-11 |                                              | Cary-Blair Charcoal |           |             |               |                 |        |



L80208 Cervix Sampler

| Item No. | Tip Material             | Total Length | Tip Length | Sterilization   | Packing Method  | Qty/PK | Qty/Cs |
|----------|--------------------------|--------------|------------|-----------------|-----------------|--------|--------|
| KJ502-13 | Low Density Polyethylene | 198mm        | 28mm       | EO or Radiation | Individual Pack | 100    | 2000   |
| KJ502-15 | Nylon Yarn               | 193mm        | 22mm       |                 |                 |        |        |
| KJ502-18 | Nylon Yarn               | 168mm        | 20mm       |                 |                 |        |        |



Individual Pack, Sterilization



L80209 HPV Cell Storage System

| Item NO. | Description                     | Material | Sterilization | Packing Method  | Qty/PK | Qty/Cs |
|----------|---------------------------------|----------|---------------|-----------------|--------|--------|
| KJ502-20 | Sample storage tube with liquid | PP       | Radiation     | Set Pack        | 100    | 1000   |
|          | Cervix Sampler                  | Nylon    | Radiation     | Individual Pack | 150    | 1800   |



L80210 Viral Transport Media

| Item NO. | Description                     | Material           | Sterilization | Packing Method  | Qty/PK | Qty/Cs |
|----------|---------------------------------|--------------------|---------------|-----------------|--------|--------|
| KJ502-19 | Sample storage tube with liquid | PP                 | Radiation     | Set Pack        | 100    | 1000   |
|          | Flocked Swab                    | Nylon or Polyester | Radiation     | Individual Pack | 150    | 1800   |





L80211



L80212




L80213




L80214



L80215



L80216



L80217




L80218



L80219 Inoculating Loops



L80220 Bacterial Cell Spreader



L80221 Bacterial Cell Spreader



L80222 Cell Scraper & Lifter



L80223 Cell Scraper & Lifter




L80224 Pipette 65/70/80/148mm



L80225 Double Bulb Transfer Pipette 64/85mm







LB0226 Multi Well Plate 6/12/24/48 Wells



LB0227 Multi Well Plate Black & White




LB0228 Multi Well Plate U/V/Flat Bottom Wells



LB0229 Square Wells, U Bottom



LB0230 Multi Well Plate 8 Wells



LB0231 PCR Tube Stripes



LB0232 PCR Plate



LB0233 PVC Urine Container 40ML



LB0234 Stool Container 60ML




LB0235 Urine Collection Cup & Vacuum Tube



LB0236 Universal Container 40ML



LB0237 100ml & 90ml Urine Container



LB0238 Pipette Tip for Finn 1000/200/200/10ul



LB0237-1 Universal Container



LB0239 Pipette Tip 5ml



LB0240 FinnPipette 8/12 Channel






LB0241 Test Tube 12\*75mm/13\*78mm/12\*100mm/15\*100mm



LB0243 Conical Test Tube 12ml



LB0245 PS/PE Material Extraction Pipe



LB0247 Multi-Use Test Tube Rack 90/21/44 Wells




LB0242 Test Tube Screw Cap Flat Bottom 10ml/5ml



LB0244 Urine Measuring Tube 10ml



LB0246 HTC Tube Thin/Thick/12.5cm



LB0248 Test Tube Rack ABS/Stainless Steel/PS



LB0249 Micro-Centrifuge Tube Transparent 0.2/0.5ml



LB0251 Micro-Centrifuge Tube Round Bottom PP Material 5/7/10ml



LB0253 PP Centrifuge Tube Conical



LB0255 Sample Cup for American/Hitachi




LB0256 Sample Cup for Abbott Architect



LB0250 Micro-Centrifuge Tube Conical 1.5/2ml



LB0252 Micro-Centrifuge Tube Snap Cap



LB0254 Multi-use Rack for Centrifuge Tube



LB0257 Sample Cup for Beckman ACL-TOP





LB0258 External Thread Cap



LB0260 Internal Thread Cap



LB0262 Side Storage Box



LB0264 Litmus Paper Red/Blue/PH Test Paper




LB0265 Wire Gauze



LB0266 Rubber Stop



LB0259 Micro-Cryovials(External Thread) 2/1.5/0.5ml



LB0261 PC Box for Cryovials 100 Wells




LB0263 Paper+ABS 100 Wells Box for Cryovials

# Laboratory Glassware









**LB0301 1101 BEAKER Low Form, with spout, with printed graduations for 50-5000ml**

| Capacity ml | Height mm | O.D. mm | Quantity per case |
|-------------|-----------|---------|-------------------|
| 5           | 30        | 20      | 1152              |
| 10          | 35        | 25      | 1152              |
| 25          | 45        | 33      | 576               |
| 50          | 58        | 46      | 192               |
| 100         | 72        | 52      | 192               |
| 150         | 80        | 57      | 192               |
| 200         | 88        | 64      | 144               |
| 250         | 94        | 69      | 144               |
| 300         | 102       | 76      | 144               |
| 400         | 110       | 82      | 72                |
| 500         | 115       | 87      | 72                |
| 600         | 128       | 95      | 48                |
| 800         | 138       | 102     | 36                |
| 1000        | 150       | 110     | 24                |
| 2000        | 200       | 133     | 16                |
| 3000        | 250       | 160     | 8                 |
| 5000        | 280       | 178     | 6                 |




**LB0302 1102 BEAKER Tall Form, with spout, with printed graduations for 50-5000ml**

| Capacity ml | Height mm | O.D. mm | Quantity per case |
|-------------|-----------|---------|-------------------|
| 50          | 67        | 40      | 192               |
| 100         | 88        | 45      | 192               |
| 150         | 100       | 53      | 144               |
| 250         | 122       | 60      | 72                |
| 400         | 138       | 70      | 72                |
| 600         | 165       | 80      | 48                |
| 800         | 178       | 90      | 36                |
| 1000        | 195       | 100     | 24                |
| 2000        | 240       | 118     | 16                |
| 3000        | 280       | 135     | 8                 |




**LB0303 1111 Beaker Conical, with spout**

| Capacity ml | Height mm | O.D. at top mm | O.D. at base mm | Quantity per case |
|-------------|-----------|----------------|-----------------|-------------------|
| 125         | 110       | 34             | 55              | 288               |
| 250         | 135       | 43             | 70              | 96                |
| 500         | 156       | 53             | 88              | 96                |




**LB0304 1111 Boiling Flask Flat Bottom, long narrow neck**

| Capacity ml | Height mm | O.D. of bulb mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 5           | 62        | 27              | 13              | 576               |
| 10          | 68        | 33              | 13              | 576               |
| 25          | 82        | 41              | 15              | 288               |
| 50          | 100       | 53              | 20              | 192               |
| 100         | 120       | 65              | 21              | 192               |
| 150         | 140       | 76              | 22              | 96                |
| 200         | 150       | 83              | 23              | 96                |
| 250         | 160       | 88              | 25              | 72                |
| 300         | 170       | 92              | 26              | 48                |
| 500         | 200       | 110             | 30              | 48                |
| 1000        | 250       | 140             | 35              | 24                |
| 2000        | 300       | 175             | 40              | 12                |
| 3000        | 370       | 199             | 50              | 8                 |




**LB0305 1115 Boling Flask round bottom, long neck**

| Capacity ml | Height mm | O.D. of bulb mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 5           | 62        | 27              | 13              | 576               |
| 10          | 68        | 33              | 13              | 576               |
| 25          | 82        | 41              | 15              | 288               |
| 50          | 100       | 53              | 20              | 192               |
| 100         | 120       | 63              | 21              | 192               |
| 150         | 145       | 76              | 22              | 96                |
| 200         | 155       | 83              | 23              | 96                |
| 250         | 165       | 88              | 25              | 72                |
| 300         | 180       | 92              | 26              | 48                |
| 500         | 210       | 110             | 30              | 48                |
| 1000        | 260       | 140             | 35              | 24                |
| 2000        | 305       | 175             | 46              | 12                |




**LB0306 1115 Boling Flask round bottom, long neck**

| Capacity ml | Height mm | O.D. of bulb mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 250         | 270       | 84              | 28              | 48                |
| 500         | 310       | 100             | 32              | 48                |



LB0307 1121 Conical Flask narrow mouth

| Capacity ml | Height mm | O.D. of bulb mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 5           | 50        | 25              | 14              | 1152              |
| 10          | 55        | 30              | 15              | 1152              |
| 25          | 70        | 40              | 16              | 576               |
| 50          | 90        | 52              | 20              | 192               |
| 100         | 105       | 60              | 22              | 192               |
| 150         | 120       | 69              | 25              | 144               |
| 200         | 130       | 76              | 26              | 96                |
| 250         | 144       | 83              | 30              | 72                |
| 300         | 155       | 89              | 32              | 48                |
| 500         | 195       | 100             | 35              | 48                |
| 1000        | 225       | 128             | 40              | 24                |
| 2000        | 285       | 170             | 53              | 12                |
| 3000        | 330       | 195             | 54              | 8                 |
| 5000        | 380       | 235             | 65              | 4                 |



LB0308 1171 Evaporating Dish flat bottom, with spout

| Diameter at top mm | Height mm | Quantity per case |
|--------------------|-----------|-------------------|
| 60                 | 30        | 240               |
| 90                 | 45        | 120               |
| 120                | 60        | 60                |




LB0309 1175 Watch Glass

| Diameter mm | Quantity per case |
|-------------|-------------------|
| 45          | 1200              |
| 60          | 600               |
| 70          | 600               |
| 80          | 600               |
| 90          | 600               |
| 100         | 600               |
| 120         | 400               |
| 150         | 400               |
| 180         | 400               |



LB0310 1177 Petri Culture Dish

| Bottom dia. mm | Cover dia. mm | Height mm | Quantity per case |
|----------------|---------------|-----------|-------------------|
| 60             | 65            | 15        | 288               |
| 75             | 82            | 15        | 288               |
| 90             | 98            | 18        | 192               |
| 100            | 107           | 20        | 192               |
| 120            | 130           | 25        | 96                |
| 150            | 160           | 30        | 48                |



LB0311 1213 Condenser liebigh with fused inner tube

| Length of Jacket mm | Total Length | O.D. of Jacket mm | Quantity per mm |
|---------------------|--------------|-------------------|-----------------|
| 300                 | 480          | 34                | 48              |
| 400                 | 590          | 37                | 36              |




LB0312 1231 Test tube without rim, bacteriological

| O.D. mm | Length mm | Quantity per case | O.D. mm | Length mm | Quantity per case |
|---------|-----------|-------------------|---------|-----------|-------------------|
| 10      | 75        | 2000              | 18      | 100       | 600               |
| 10      | 100       | 2000              | 18      | 150       | 600               |
| 12      | 75        | 2000              | 18      | 180       | 600               |
| 12      | 100       | 2000              | 19      | 150       | 600               |
| 13      | 100       | 2000              | 21      | 150       | 400               |
| 15      | 100       | 1000              | 21      | 180       | 400               |
| 15      | 150       | 1000              | 25      | 150       | 300               |
| 16      | 125       | 1000              | 25      | 200       | 200               |



LB0313 1232 Test tube with rim, chemical


| O.D. mm | Length mm | Quantity per case | O.D. mm | Length mm | Quantity per case |
|---------|-----------|-------------------|---------|-----------|-------------------|
| 10      | 75        | 2000              | 18      | 100       | 600               |
| 10      | 100       | 2000              | 18      | 150       | 600               |
| 12      | 75        | 2000              | 18      | 180       | 600               |
| 12      | 100       | 2000              | 19      | 150       | 600               |
| 13      | 100       | 2000              | 21      | 150       | 400               |
| 15      | 100       | 1000              | 21      | 180       | 400               |
| 15      | 150       | 1000              | 25      | 150       | 300               |
| 16      | 125       | 1000              | 25      | 200       | 200               |
| 16      | 150       | 1000              | N/A     | N/A       | N/A               |



LB0314 1302 Weighing Bottle low form, with ground-in glass stopper

| Diameter mm | Height mm | Quantity per case |
|-------------|-----------|-------------------|
| 40          | 25        | 288               |
| 50          | 30        | 288               |
| 60          | 30        | 144               |
| 70          | 35        | 144               |





**LB0315 1381 Alcohol Lamp conical shape, with ground-on cap or plastic cap**

| Capacity ml | Quantity mm |
|-------------|-------------|
| 150         | 96          |
| 250         | 72          |




**LB0316 1401 Reagent Bottle narrow mouth, with ground-in glass stopper or plastic stopper**

| Capacity mm | Height of bottle mm | Diameter of bottle mm | Diameter of neck mm | Quantity per case |
|-------------|---------------------|-----------------------|---------------------|-------------------|
| 30          | 76                  | 40                    | 18                  | 144               |
| 60          | 85                  | 46                    | 22                  | 144               |
| 125         | 110                 | 57                    | 24                  | 144               |
| 250         | 135                 | 70                    | 27                  | 36                |
| 500         | 172                 | 85                    | 33                  | 24                |
| 1000        | 202                 | 106                   | 38                  | 12                |
| 2500        | 270                 | 145                   | 48                  | 6                 |
| 5000        | 338                 | 185                   | 58                  | 4                 |
| 10000       | 430                 | 225                   | 68                  | 2                 |
| 20000       | 520                 | 265                   | 82                  | 1                 |




**LB0317 1402 Reagent Bottle amber glass, narrow mouth, with ground-in glass stopper or plastic stopper**

| Capacity mm | Height of bottle mm | Diameter of bottle mm | Diameter of neck mm | Quantity per case |
|-------------|---------------------|-----------------------|---------------------|-------------------|
| 30          | 76                  | 40                    | 18                  | 144               |
| 60          | 85                  | 46                    | 22                  | 144               |
| 125         | 110                 | 57                    | 24                  | 144               |
| 250         | 135                 | 70                    | 27                  | 36                |
| 500         | 172                 | 85                    | 33                  | 24                |
| 1000        | 202                 | 106                   | 38                  | 12                |




**LB0318 1501 Funnel Short Stem**

| Diameter mm | Length of stem mm | Quantity per case |
|-------------|-------------------|-------------------|
| 180         | 150               | 12                |
| 210         | 180               | 8                 |
| 240         | 180               | 8                 |
| 300         | 180               | 4                 |




**LB0319 1503 Standard Funnel 60 approx., long stem**

| Diameter mm | Length of stem mm | Quantity per case |
|-------------|-------------------|-------------------|
| 50          | 150               | 192               |
| 60          | 150               | 144               |
| 75          | 150               | 96                |




**LB0320 1431 Filtering Flask with side tubulature, soft glass**

| Capacity ml | Height mm | O.D. of base mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 125         | 130       | 75              | 26              | 36                |
| 250         | 160       | 90              | 33              | 60                |
| 500         | 200       | 115             | 40              | 24                |




**LB0321 1432 Filtering Flask with side tubulature, hard glass**

| Capacity ml | Height mm | O.D. of base mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 1000        | 240       | 140             | 44              | 16                |
| 2500        | 295       | 190             | 55              | 6                 |
| 5000        | 370       | 235             | 65              | 2                 |
| 10000       | 445       | 283             | 72              | 2                 |




**LB0322 1451 Dropping Bottle with ground-in pipette and latex rubber nipple**

| Capacity ml | Height mm | O.D. of bottle mm | Quantity per case |
|-------------|-----------|-------------------|-------------------|
| 30          | 76        | 40                | 288               |
| 60          | 85        | 46                | 288               |
| 125         | 110       | 57                | 144               |



**LB0323 1452 Dropping Bottle amber glass, with ground-in pipette and latex rubber nipple**

| Capacity ml | Height mm | O.D. of bottle mm | Quantity per case |
|-------------|-----------|-------------------|-------------------|
| 30          | 76        | 40                | 288               |
| 60          | 85        | 46                | 288               |
| 125         | 110       | 57                | 144               |



**LB0324 1601 Measuring Cylinder with spout**

| Capacity ml | Height mm | O.D. mm | Graduated interval ml | Quantity per case |
|-------------|-----------|---------|-----------------------|-------------------|
| 10          | 150       | 13      | 0.2                   | 288               |
| 25          | 170       | 20      | 0.5                   | 288               |
| 50          | 195       | 25      | 1                     | 96                |
| 100         | 250       | 30      | 2                     | 72                |
| 250         | 320       | 40      | 5                     | 48                |
| 500         | 360       | 54      | 5                     | 24                |
| 1000        | 440       | 65      | 10                    | 12                |
| 2000        | 500       | 90      | 20                    | 6                 |



**LB0325 1621 Volumetric Flask Graduated one mark, with ground-in glass stopper or plastic stopper**

| Capacity ml | Height mm | O.D. of body mm | O.D. of neck mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|-------------------|
| 10          | 100       | 28              | 9               | 288               |
| 25          | 112       | 38              | 10              | 288               |
| 50          | 140       | 46              | 11              | 288               |
| 100         | 182       | 59              | 12              | 144               |
| 250         | 225       | 80              | 14              | 72                |
| 500         | 250       | 101             | 17              | 48                |
| 1000        | 320       | 126             | 19              | 12                |




**LB0326 1630 Measuring Pipette with coding band**

| Capacity ml | Length mm | Graduated interval ml | Quantity per case |
|-------------|-----------|-----------------------|-------------------|
| 0.1         | 320       | 0.01                  | 600               |
| 0.2         | 320       | 0.02                  | 600               |
| 0.25        | 320       | 0.0025                | 600               |
| 0.5         | 320       | 0.005                 | 600               |
| 1           | 320       | 0.01                  | 600               |
| 2           | 320       | 0.02                  | 480               |
| 5           | 330       | 0.05                  | 480               |
| 10          | 330       | 0.1                   | 480               |
| 25          | 500       | 0.1                   | 240               |




**LB0327 1642 Burette with straight stopcock**

| Capacity ml | Length mm | O.D. mm | Graduated interval ml | Quantity per case |
|-------------|-----------|---------|-----------------------|-------------------|
| 10          | 450       | 9       | 0.05                  | 48                |
| 25          | 550       | 12      | 0.1                   | 48                |
| 50          | 750       | 13      | 0.1                   | 48                |
| 100         | 800       | 18      | 0.2                   | 48                |




**LB0328 1123 Iodine flask with ground-in glass stopper**

| Capacity ml | Height of flask. mm | O.D at base mm | Quantity per case |
|-------------|---------------------|----------------|-------------------|
| 50          | 110                 | 55             | 192               |
| 100         | 114                 | 60             | 192               |
| 250         | 155                 | 83             | 72                |



**LB0329 1221 Adapter Tube Straight**

| O.D of body mm | Total Length mm | O.D of bottom mm |
|----------------|-----------------|------------------|
| 18             | 150             | 8                |
| 25             | 180             | 10               |
| 30             | 200             | 12               |




**LB0330 1224 Connection Tube T Shape**

| O.D of tube mm | Max. length mm | Length of branches mm |
|----------------|----------------|-----------------------|
| 7              | 100            | 50                    |




**LB0331 1324 Drying Tube U-shaped, plain**

| Length mm | Diameter mm |
|-----------|-------------|
| 100       | 13          |
| 150       | 15          |
| 200       | 20          |



**LB0332 1325 Drying Tube U-shaped, with side tubes**

| Length mm | Diameter mm |
|-----------|-------------|
| 100       | 13          |
| 150       | 15          |



**LB0333 1371 Bell jar high straight form, with knob**


| I.D.mm | Inside Height mm | Quantity per case |
|--------|------------------|-------------------|
| 120    | 180              | 12                |
| 150    | 250              | 6                 |
| 180    | 250              | 6                 |
| 200    | 300              | 4                 |





**LB0334 1383 Mortar machine pressed, with glass pestle**

| Top diameter mm | Quantity mm |
|-----------------|-------------|
| 60              | 48          |
| 75              | 48          |
| 90              | 48          |
| 120             | 12          |
| 150             | 6           |




**LB0335 1451 Dropping Bottle with ground-in pipette and latex rubber nipple**

| Capacity ml | Height mm | O.D. of bottle mm | Quantity per case |
|-------------|-----------|-------------------|-------------------|
| 250         | 190       | 88                | 48                |
| 500         | 210       | 110               | 24                |
| 1000        | 230       | 140               | 16                |



**LB0336 1543 Separatory Funnel Pear Shape, with ground-in glass stopper and stopcock or plastic stopper and stopcock**

| Capacity ml | O.D. of body mm | Total length mm | Dia. Of stem mm | I.D. of neck mm | Qty. per case |
|-------------|-----------------|-----------------|-----------------|-----------------|---------------|
| 60          | 48              | 205             | 7               | 14              | 60            |
| 125         | 67              | 260             | 7               | 19              | 48            |
| 250         | 74              | 310             | 8               | 19              | 32            |
| 500         | 90              | 355             | 9               | 24              | 24            |
| 1000        | 120             | 430             | 10              | 29              | 12            |



**LB0337 1134 Distilling Flask**

| Capacity ml | Height mm | O.D. of bulb mm | I.D. of neck mm | Length of side tube mm | Quantity per case |
|-------------|-----------|-----------------|-----------------|------------------------|-------------------|
| 10          | 75        | 2000            | 18              | 100                    | 600               |

# Laboratory Furniture






LBD401 Stainless Steel/Wooden Lab.Bench



LBD402 All Wooden Lab.Bench



LBD404 All Wooden Lab.Bench



LBD403 All Wooden Lab.Bench



LBD405 All Wooden Lab.Bench



LBD406 Aluminum & Wooden Lab.Bench



LBD407 Aluminum & Wooden Lab.Bench



LBD408 Aluminum & Wooden Lab.Bench



LBD409 Aluminum & Wooden Lab.Island Bench



LBD410 Aluminum & Wooden Lab.Bench




LBD411 Aluminum & Wooden Lab.Bench



LBD412 Teaching Demonstration Table



LBD413 Island Bench



LBD414 Penisular Bench





LBD415 All Wooden Lab.Bench



LBD416 Octagonal General Technical Lab. Table



LBD417 All Wooden Physical Electricity Room



LBD418 Aluminum & Wooden Physical Electricity Room



LBD419 Aluminum & Wooden Chemical Lab.Room



LBD420 Aluminum & Wooden Biological Lab. Room



LBD421 Single Drip Board



LBD422 Stool with Back



LBD423 Lab. Stool Blue



LBD424 Lab. Stool Black




LBD425 Lab. Stool Green

# Educational Products






**Presentation Pointer Meter Series**



J0401

G: -100uA---+100uA  
DC Voltage: 0-2.5V-10V  
DC Current: 0-200uA-0.5A-2.5A  
Size(L\*W\*H): 85\*280\*300mm  
Weight: 780g



AH185

DC Voltage: 0-IV/0-5V/0-15V  
AC Voltage: 0-300V  
Size(L\*W\*H): 85\*280\*300mm  
Weight: 1kg




J0402

G: -500uA-0-+500uA  
DC Voltage: 0-5V-10V  
AC Voltage: 0-10V-50V-250V  
DC Current: 0-1mA-10mA-100mA-1A-5A  
AC Current: 0-10mA-100mA-1A-5A  
Size(L\*W\*H): 115\*270\*300mm  
Weight: 1kg



AH189

DC Current: -150uA-0-150uA/-  
25mA-0-25mA/0-50mA/0-1A/0-  
10A  
Size(L\*W\*H): 85\*280\*300mm  
Weight: 1kg




J0404

DC Power: 1A.250V/0.5A.250V/0.5A.50V/1A.25V  
AC Power: 1A.250V/0.5A.250V/0.5A.50V/1A.25V  
Resistance: 0-1Ω-10Ω-100Ω-1kΩ  
Size(L\*W\*H): 110\*270\*280mm  
Weight: 780g




J0401

DC Voltage: 0-5V-10-15V  
DC Current: 0-1A-5A-10A  
Size(L\*W\*H): 85\*280\*300mm  
Weight: 780g



J0406

AC Voltage: 500V  
Resistance: 0-500mΩ  
Size(L\*W\*H): 205\*120\*145mm  
Weight: 2kg



AH188

G: -500uA-0-+500uA  
DC Voltage: 0-50mV-5V-250V  
AC Voltage: 0-10V-50V-250V  
DC Current: 0-10mA-100mA-1A-5A  
AC Current: 0-10mA-100mA-1A-5A  
Size(L\*W\*H): 115\*270\*300mm  
Weight: 1kg



Demo Series Digital Meter



JD4012  
AC Voltage: 0-100mV-200mV-2000mV-20V-200V  
Size(L\*W\*H): 230\*215\*95mm  
Weight: 970g

Digital Multimeter Series



DT-9208A



DT-9201



DT-338


Oscilloscope Series



J-2472



J-2458



DS-010

Power Series

Size: 28\*12\*21cm



04004



04005



LB0501 Vacumm Pump

D.C. Voltmeter



0-1-3V



0-1-5V



0-1mA



0-2A



0-3-5V




G

Electric Model



ED001 Electric Conduction of Central Nervous System Model



ED002 Model of Electric Computer Brain System



ED003 Electric Human Respiratory System

## First Aid Skill Training Model-Full Body

L80502 Full body CPR manikin with LED light Monitor (built in printer)



Features:

- Airway status indication on monitor
- Manual carotid pulses through pulse bulb
- Ventilation through mouth to mouth or pocket mask, volume indicated on monitor
- Chest compression, pressing position and depth indicated on monitor
- Practice indication in comply with the latest AHA CPR & ECC Guideline
- Interchangeable pupils for vital signs observation
- Three training modes: Free practice, AHA standard practice, Examination (system auto score in examination mode print out)
- Print out practice briefing, examination result
- Upgrade option:DM-CPR3000W (Wireless monitor)

L80503 Full body CPR manikin with smart monitor (LED light and voice indication)



Features:

- Airway status indication on monitor
- Manual carotid pulses through pulse bulb
- Ventilation through mouth to mouth or pocket mask, volume indicated on monitor
- Chest compression, pressing position and depth indicated on monitor
- Practice indication in comply with the latest AHA CPR & ECC Guideline

## First Aid Skill Training Model-Half Body

L80504 Advanced Half Body CPR Manikin



Features:

- Simulating standard airway opening
- External cardiac compression, correct compression depth ( $\geq 5\text{cm}$ )
  - correct compression site, yellow light power on;
  - correct compression intensity, green light power on, correct buzzing sound indication
  - excessive compression intensity, red light power on, alarm buzzing sound indication
- Artificial respiration: can judge inflation volume by observing chest rise (inflation volume standard  $\leq 500\text{ml}/600\text{ml}-1000\text{mls}$ )
- Operation frequency: at least 100 times per minute, "beep" sound as a symbol
- Operation methods: exercise operation
- Power Supply: battery

L80505 Half body CPR Manikin



Air way occlusion/open

- Manual carotid pulses through pulse bulb
- Ventilation through mouth to mouth or pocket mask, realistic chest rise and fall
- Chest compression practice

L80506 Infant CPR manikin with LED lights monitor



Features:

- Air drive sensor monitor
- Manual brachial artery pulses through pulse bulb
- Mouth to mouth ventilation, volume indication
- Chest compression indication

L80507 INFANT OBSTRUCTION AND CPR MODEL



Features:

- Simulating airway obstacle, practice back smacking method and chest finger press method
- Basic CPR operation practice, artificial respiration and chest compression
- Realistic chest rise and fall
- Lifelike body scale and accurate anatomical structure, touchable breastbone and ribs.



L80508 Advanced Endotracheal Intubation Model



Features:  
Oral/nasal cavity intubation practice and demonstration  
Electronic monitor, LED light and voice indication, lungs and stomach can be inflated for testifying intubation position  
Teeth pressure alarm when using laryngoscope  
Comparison of normal pupil and dilated pupil


L80509 Endotracheal Intubation Model



Features:  
Standard tracheotomy position, touchable trachea for locating cutting position  
Accurate structure: thyroid cartilage, cricoid cartilage, crico-thyroid membrane  
Practice percutaneous thyrocricoid puncture, cricothyrotomy, tracheotomy  
Different cuttings: vertical, horizontal, cross shape, "U" shape, reverse "U" shape  
Replaceable trachea and neck skin

**Nursing Skill Training Model**

L80510 Multi-functional Nursing Manikin Model



Features:  
Multifunction patient care simulator ENEN is designed especially for training of basic nursing, it creates a real clinical setting for students. ENEN is fully functional, beautiful appearance, precise structure, provides a true sense of operation.  
Wash face, scrub body on the bed, change clothes  
Transport patients, change bed  
Bilateral, unilateral oxygen inhalation  
Atomizing inhalation therapy


Nasal feeding:  
\* nasal feeding for coma patients  
\*When insert gastric tube to 45-55cm, can draw out simulated gastric juice  
Gastric lavage:can practice through the nasal cavity, oral cavity, stomach capacity up to 500ml  
Intravenous injection:  
\*Needle inserting provides an obvious feeling like do on a human arm, and will bring back-flow blood  
\*The same puncture point can withstand numerously repeated puncture

L80511 Economic I.V. Arm



Features:  
Adult arm, realistic blood vessels  
Include basilic vein, median cubital vein, median antebrachial vein, etc  
Skin and vessel are replaceable  
Intramuscular injection: deltoid

L80512 Multi-functional Intravenous Injection Arm



Feature:  
Adult arm, realistic blood vessels  
Include basilic vein, median cubital vein, median antebrachial vein, etc.  
Skin and vessel are replaceable  
Venipuncture  
\* I.V. , transfusion, blood sampling, etc.  
\* Realistic feedback, blood backflow  
\* Repeating practice on same spot  
Intramuscular injection: deltoid  
Hypodermic injection  
Intradermal injection  
Right/left hand optional

L80513 Intravenous Injection Arm



Features:  
Adult arm, realistic blood vessels  
Skin and vessel are replaceable  
Venipuncture  
\* I.V. , transfusion, blood sampling, etc.  
\* Realistic feedback, blood backflow  
Repeating practice on same spot

L80514 Opisthenar Intravenous Injection Hand




Features:  
Adult hand  
Complete hand vein system, skin and blood vessel are replaceable  
Venipuncture  
I.V. , transfusion, blood sampling, etc.  
Realistic feedback, blood backflow  
Repeating practice on same spot

## LB0515 Forearm Pad for Intravenous Injection



Features:  
 Wearable design  
 Replaceable skin and blood vessel  
 Venipuncture  
 \* I.V. , transfusion, blood sampling, etc.  
 \* Realistic feedback, blood backflow  
 Repeating practice on same spot

## LB0516 Multi-functional Injection Model



Features:  
 Rotation design allow shift used part away and increase use life of the model  
 Plastic base  
 Intramuscular injection  
 Intradermal injection: realistic skin test feedback  
 Hypodermic injection

## LB0517 Economic Injection Buttock Model



Feature:  
 Adult buttock  
 Clear locating mark  
 Gluteus maximus intramuscular injection

## LB0518 Monitoring Male Catheterization Model



Features:  
 Real life size  
 Realistic appearance and texture, urethral canal length 18-20cm  
 Male catheterization  
 Realistic resistance feedback during process  
 "Urine" flow out after catheter successfully enter bladder  
 Bladder irrigation

## LB0519 Teeth Model in Oral Cavity




Features:  
 Life size, dental and oral cavity are separable  
 Precise anatomical structure, include: jaw, gum, upper dental arch, inferior dental arch, tongue  
 Mouth care  
 Demonstration of proper brushing teeth method

## LB0520 Delivery Demonstration Model




Features:  
 I Model consists of adult female hypogastrium, 2 fetus with placentas, very realistic shape.  
 Standard full-term fetus, flexible joints, demonstration of various fetal positions  
 I Demonstrate complete childbirth process: engagement, descending, flexion, internal rotation, delivery  
 I Abdominal skin is removable, equipped with extra transparent abdominal skin for visual demonstration  
 I Perineum is soft and elastic, suitable for midwifery practice.  
 I Demonstrate twins (male& female) delivery.  
 I Leopold's 4-steps maneuver  
 I Delivery mechanism instruction  
 I Perineum cutting and suturing  
 I New born baby nursing

## Anatomy Model &amp; Others



LB0521 Mamary Gland



LB0522 Model of the Brain and Brain Artery



LB0523 Human Brain





LB0524 Whole Body Basic CPR Manikin(Male)



LB0525 Natural Size, The basic Patient Care Manikin (A Type)



LB0526 Nursing Manikin(Female)



LB0527 Nursing Manikin(Female)




LB0528 Skeleton(168cm,85cm,42cm)



LB0529 High Quality Nurse Training Doll(Female/Male)



LB0530 Muscle Body Model



LB0531 Male Torso 85cm(21 Parts)



LB0532 Male Torso 85cm(19 Parts)



LB0533 Human Dualsex Sex Torso 85cm(24 parts)




LB0534 Uterus W/EM Bryo (10 months)



LB0535 New Style Newborn Model(Body Model)



LB0536 Body with Placenta




LB0537 The Development Process for Fetus 10 Parts



LB0538 Lud Placement Training Model



LB0539 Pelvis with Uterus in the Ninth Month Pregnancy



LB0540 Childbirth Skill Model




A Type



B Type

LB0541 Course of Parturition



LB0542 Model of Median Sagittal Section of Male/Female Pelvic Cravity



LB0543 Female Reproductive Organ




LB0544 Male Reproductive Organ



LB0545 Pregnant Model




LB0546 Heart Model



LB0547 Expansion Model of Heart Dissection 4 Parts




LB0548 Expansion Model of Heart Dissection 4 Parts



LB0549 Expansion Model of the Liver Dissection



LB0550 Model of Transparent Bronchopulmonary Segment



LB0560 Model of the Male/Female Urinary System



LB0561 Human Urinary System



LB0562 Injectable Training Arm Model (Without Set)




LB0551 Model of the Transparent Lung Segment




LB0552 Human Placenta Model



LB0553 Liver, natural on base




LB0563 Adult Female Human Pelvis on Base




LB0564 Female Muscular & Inner Organs in Pelvis Model(A type)



LB0565 Model of Female Pelvis and Pelvic Muscle



LB0554 Liver, Pancreas and Duodenum Model



LB0555 Lungs Model




LB0556 Giant Kidney(lpc) Magnified(on base 20cm long, without adrenal gland)




LB0566 Pelvis with 2pcs Lumbar Vertebra Model




LB0567 Male Pelvis Model



LB0568 Color Giant Eye, (6pcs) 6 times, Magnifies, round base



LB0557 Kidney Model




LB0558 Expansion Model of the kidney



LB0559 Middle Kidney w/Adrenal Gland (2 purchase)magnified, on base,14.5cm long



LB0569 Giant Eye Model



LB0570 Big Health Plane Skin Model (West Type)



LB0571 Magnified Skin, on square Base






LB0572 Enlarged Skin Model




LB0573 Skin Section Model Spatial I Part



LB0574 Mammary Gland



LB0575 Mammary Gland



LB0576 The Model of Mammary Dissection 2 Parts



LB0577 Expansion Model of Mammary Dissection 2 Parts




LB0578 Life Size Skull



LB0579 Giant with Tooth Gap Fixed Dntal Care




LB0580 Middle Ear Model



LB0581 Expansion Model of the Ear Dissection(External Middle and Internal Ear 6 Parts



LB0582 5 Times Expansion Model of the Ear Dissection (External Middel and Internal Eat)



LB0583 Ear Model



Official Website



Online Shop



**ANHUI WELCOME FOREIGN TRADE CO.,LTD**

Add: 16th Floor, Changhe Mansion, No.677 West Changjiang Rd, Hefei City, Anhui Province, China 230088

Tel: 0086 551 65392760

Fax: 0086 551 65392761

Email: [info@anhuiwelcome.com](mailto:info@anhuiwelcome.com) / [hufuxia@vip.163.com](mailto:hufuxia@vip.163.com)

Website: [www.anhuiwelcome.com](http://www.anhuiwelcome.com)

Made-in-China Online Shop: [anhuiwelcome.en.made-in-china.com/](http://anhuiwelcome.en.made-in-china.com/)

